Refine Search

Search Results -


Term	Documents
"10%"	650178
"10%S"	5
"95%"	288413
"95%S"	3
ETHERNET	70858
ETHERNETS	594
(ETHERNET AND ("95%" NEAR "10%")).PGPB,USPT.	5
(10% NEAR 95% AND ETHERNET).PGPB,USPT.	5

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database

Database:

US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:



Search History

DATE: Wednesday, November 15, 2006 Purge Queries Printable Copy Create Case

Set Name Query Hit C		Hit Count	Count Set Name result set	
DB=PC	GPB,USPT; PLUR=YES; OP=ADJ			
<u>L40</u>	10% near 95% and ethernet	5	<u>L40</u>	
<u>L39</u>	10 5% and 0-60 and ethernet	0	<u>L39</u>	
<u>L38</u>	60 near celcius and humidity and 95%	0	<u>L38</u>	
<u>L37.</u>	L35 and ethernet	6	<u>L37</u>	
<u>L36</u>	135 and ethernet near switch	0	<u>L36</u>	
L35	L34 and temperature	6	L35	

<u>L34</u>	L33 and humidity	6	<u>L34</u>
<u>L33</u>	industrial near ethernet	129	<u>L33</u>
<u>L32</u>	L31 and humidity	0	<u>L32</u>
<u>L31</u>	ethernet near military	2	<u>L31</u>
<u>L30</u>	L28 and humidity	0	<u>L30</u>
<u>L29</u>	L28 and ethernet	0	<u>L29</u>
<u>L28</u>	military near switch	10	<u>L28</u>
<u>L27</u>	military near ethernet near switch	0	<u>L27</u>
<u>L26</u>	L25 and temperature	17	<u>L26</u>
<u>L25</u>	L24 and humidity	17	<u>L25</u>
<u>L24</u>	L23 and military	123	<u>L24</u>
<u>L23</u>	ethernet and combat	977	<u>L23</u>
<u>L22</u>	L19 and hardended	0	<u>L22</u>
<u>L21</u>	L19 and harsh	5	<u>L21</u>
<u>L20</u>	L19 and industrial	5	<u>L20</u>
<u>L19</u>	L18 and temperature	6	<u>L19</u>
<u>L18</u>	L17 and ethernet near switch	6	<u>L18</u>
<u>L17</u>	L16 and humidity	126	<u>L17</u>
<u>L16</u>	ethernet and 95%	1648	<u>L16</u>
<u>L15</u>	L12 and temperature	10	<u>L15</u>
<u>L14</u>	L13 and humidity	0	<u>L14</u>
<u>L13</u>	L11 and temperature	2	<u>L13</u>
<u>L12</u>	L9 and industrial near ethernet	21	<u>L12</u>
<u>L11</u>	L9 and rugged near ethernet	2	<u>L11</u>
<u>L10</u>	L9 and hardened near ethernet	5	<u>L10</u>
<u>L9</u>	ethernet near switch and industrial	297	<u>L9</u>
<u>L8</u>	L7 and ethernet near switch	0	<u>L8</u>
<u>L7</u>	L1 and ethernet	11	<u>L7</u>
<u>L6</u>	L1 and hardened	0	<u>L6</u>
<u>L5</u>	L1 and military	0	<u>L5</u>
<u>L4</u>	L1 and industrial	0	<u>L4</u>
<u>L3</u>	L1 and rugged	0	<u>L3</u>
<u>L2</u>	L1 and ethernet and industrial	0	<u>L2</u>
<u>L1</u>	370/372.ccls.	47	<u>L1</u>

END OF SEARCH HISTORY

http://www.garrettcom.com/techsupport/hardware/userguides/6k8ug.pdf - Cached -42 JetNet 3705 Industrial Ethernet Switch. 1-36 www.korenix.com. JetNet 3705 Industrial 5-port ... Temp Model (-w): -40~80°C(-40~176°F) Operating Hu http://www.raster-products.nl/downloads/Korenix_JetNet_3705.pdf - Cached -43 无标题文档 High-performance Industrial Ethernet Switch. 10/100Base-T/TX Ethernet ports ... to IEEE802.3/802.U/802.3X. Transparent transmission http://www.kyland.cn/cn/2/cp/4j/KIEN8000.htm - Cached -44 Unmanaged EtherDevice 40 to 85°C (-40 to 185°F) Ambient Relative Humidity: ... Transmits VLAN Tag Packets Transparently IEEE 802.1 ... EDS-205: Industrial I http://moxa.com.ua/Net_cat_51/2.Umanaged_Switch.pdf - Cached -45 Hirschmann MS4128-5 Switches Description: Power MICE, modular, managed Industrial ETHERNET Switch, store and ... QoS 4 classes, prioritization (IEEE 802.1D/p), V http://www.hirschmann.de/Industrial-Ethernet/en/products/getprod.php?orderno=943%20009-001&SP_ID=en - Cached -**46 PRODUCT FEATURES** ... switch to forward multicast traffic intelligently. VLAN ... 516TX Industrial Ethernet Switch Ordering Information ... Operating Humidity: http://www.intertechna.se/pdf/516TX.pdf - Cached -47 Rail-Switch RS DHCP, SNTP, IGMP, GMRP, VLAN support • Seamless ... description RS2-16M family Description managed Industrial ETHERNET Swite http://www.produs.com.pl/hir/pdf/Flyer_RS2-16M_US.pdf - Cached -**48 PRODUCT FEATURES** ... switch to forward multicast traffic intelligently. VLAN ... 517FX

<u>Sign in</u>

J.

Google

Web Images Video News Maps more » Advanced Search "INDUSTRIAL ETHERNET SWITCH" "PORTS Search

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results 1 - 10 of about 49 for "INDUSTRIAL ETHERNET SWITCH" "PORTS" "95%" AND "HUMIDITY".

Hardened Ethernet Switch

Sponsored Links

Sponsored Links

Extended Temperature -40° - 80°C for Harsh www.aaxeon.com

Industrial Environments

Industrial Ethernet

Industrial Ethernet

5 & 8-Port Industrial Switches

Industrial Grade Ethernet Switches. GigE Redundant Rings, Converters. www.tccomm.com

Neteon.Net/IndustrialEthernet

Redundant, Rugged, Cost Effective

MOXA EtherDevice Switch EDS-508 Series - Industrial 8-Port Managed ...

Use VLAN to ease network planning and QoS to increase determinism. ... Industrial

Redundant Ethernet Switch with 8 10/100BaseT(X) ports ...

www.moxa.com/product/EDS-508.htm - 95k - Cached - Similar pages

MOXA EtherDevice Switch EDS-726---Industrial 26-Port Modular ...

The modular design lets you install up to 2 Gigabit ports and 24 fast Ethernet ... Supports IEEE 802.1Q VLAN and GVRP protocol to ease network planning ...

www.moxa.com/product/EDS-726.htm - 123k - Cached - Similar pages

SIXNET Industrial Ethernet Switches - Rugged & Reliable

The SIXNET RK25 is a truly industrial Ethernet switch offering up to 25 total ports ...

Humidity, 5 to 95% RH (non-condensing) (Conformal coating optional) ...

www.sixnetio.com/html files/products and groups/switches managed rk25.htm - 74k -

Cached - Similar pages

[PDF] Industrial Ethernet Switch Solutions

File Format: PDF/Adobe Acrobat - View as HTML

Ambient Relative Humidity: 5% to 95% (non-condensing) ... 10/100BaseT(X) ports, 0 to

60°C. EDS-305-M-SC: Unmanaged Ethernet Switch with ...

www.dobalkans.com/download/catalogs/Industrial_ethernet.pdf - Similar pages

Sunix GROUP

Operating Temperature, Standard 0°C ~ 60 °C / Extend -20°C to 75°C. Operating

Humidity, 5 ~ 95% RH. Storage Temperature, -10 °C~ 85 °C ...

www.sunix.com.tw/ipc/sunix en/detail.php?class a=&prod id=188 - 36k -

Cached - Similar pages

[PDF] LynxSwitch L400 series

File Format: PDF/Adobe Acrobat - View as HTML

Ports. Input power. Transient protected. 19-60 VDC redundant inputs with input voltage ...

Humidity 5-95% RHD non-condensing (100% for coated version). ...

.www.westermo.com/dman/Document.phx/Datasheets/

Ethernet/English/LynxSwitch+400+datasheet+ENG.pdf?folderId=... - Similar pages

[PDF] Hardware Installation Guide

File Format: PDF/Adobe Acrobat - View as HTML

destination address, it is sent to all ports. IEEE 802.1Q, VLAN ... C to 60 ... Operating

Humidity: 10% to 95%. (Non Condensing). Operating Altitude: ...

www.n-tron.com/pdf/608MFX Installation.pdf - Similar pages



11/15/2006

[PDF] 600Series-Manual 12-16-05

File Format: PDF/Adobe Acrobat - View as HTML

0°C to 60°C. Storage Temperature:. -40°C to 80°C. Operating Humidity:. 10% to 95%.

(Non Condensing). Operating Altitude:. 0 to 6500 ft. Shock and Vibration ...

www.n-tron.com/pdf/600SeriesMan.pdf - Similar pages

[PDF] Weed Instrument

File Format: PDF/Adobe Acrobat - View as HTML

60 Units, 10000ft (3km). None. Electrical Interface Modules - Common Features. Ambient

Conditions: -40 to 85°C Operational, 0 to 95% Rel. Humidity Non- ...

www.weedinstrument.com/product_groups/fiber_cb.pdf - Similar pages

[PDF] Rail-Switch RS2-16M

File Format: PDF/Adobe Acrobat - View as HTML

16 port managed/unmanaged switch • 2 uplink ports in several variants ... Relative

humidity (non-condensing). 10% to 95%. Mechanical construction ... www.produs.com.pl/hir/pdf/Flyer RS2-16M US.pdf - Similar pages

Result Page:

1 2 3 4

Next

Try Google Desktop: search your computer as easily as you search the web.

"INDUSTRIAL ETHERNET SWITCH

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google